## {In Archive} Fw: Construction Activities at Caddell Dry Dock

David Pohle to: Kimberly McEathron, Murray Lantner

From: David Pohle/R2/USEPA/US

To: Kimberly McEathron/R2/USEPA/US@EPA, Murray Lantner/R2/USEPA/US@EPA

History: This message has been replied to.

Archive: This message is being viewed in an archive.

Please see response from the Corps. It sounds like this covers the matter.

---- Forwarded by David Pohle/R2/USEPA/US on 08/27/2009 12:36 PM -----



"Mallery, Christopher S NAN02" <Christopher .S.Mallery@usac e.army.mil>

08/27/2009 10:15 AM

To David Pohle/R2/USEPA/US@EPA

cc "Schumach, Steven A NAN02" <Steven.A.Schumach@usace.army.mil>

08/27/2009 12:39 PM

Subject RE: Construction Activities at Caddell Dry Dock

### Dave:

There was a nationwide confirmation issued on August 14, 2006, for the installation of 297 linear feet of new bulkhead and appurtenant backfill at the Caddell facility on the Kill Van Kull. I believe the work also involved the removal of a deteriorated 246' long pier, and the bulkhead primarily involved replacing most of the shoreline adjacent to where the pier had been on the west side of the property. I don't know for certain that the current work is that which was authorized, but it probably is.

We currently have a PN out for a major mod of Caddell's dredging permit, in order to authorize the disposal of the dredged material at the NBCDF, so Caddell has a rather high profile right this minute.

Thanks.
- Chris Mallery
917-790-8418

```
----Original Message----
```

From: Pohle.David@epamail.epa.gov [mailto:Pohle.David@epamail.epa.gov]

Sent: Wednesday, August 26, 2009 9:43 AM

To: Mallery, Christopher S NAN02

Cc: McEathron.Kimberly@epamail.epa.gov; Lantner.Murray@epamail.epa.gov

Subject: Fw: Construction Activities at Caddell Dry Dock

### Chris,

Does the Corps have any permitted activities going on at Caddell Dry Dock on Staten Island?

Please see report below.

#### Dave

---- Forwarded by David Pohle/R2/USEPA/US on 08/26/2009 09:41 AM ----

Kimberly
McEathron/R2/USE
PA/US

08/19/2009 12:02 PM David Pohle/R2/USEPA/US@EPA

CC

То

Murray Lantner/R2/USEPA/US@EPA

Subject

Construction Activities at Caddell Dry Dock

Hi David,

Murray Lantner and I conducted a compliance evaluation inspection yesterday (8/18/09) for a site in Staten Island located directly on the Kill Van Kull named Caddell Dry Dock. They have a SPDES permit NY0033090. We witnessed several construction activities occuring on the site including bulk head repair (removing old/damaged wooden boards and replacing them with new ones). The first attached photo shows boards being removed and the second photo shows the pile where they are placing/storing the removed boards.

[attachment "P8180026.JPG" deleted by David Pohle/R2/USEPA/US] [attachment "P8180027.JPG" deleted by David Pohle/R2/USEPA/US]

At another location at the site we found excavated soil in a pile on site as seen in the third attached photo.

[attachment "P8180052.JPG" deleted by David Pohle/R2/USEPA/US]

We asked Brian Donato (Safety Compliance Officer) and Richard LaVerie (Compliance Officer/purchasing manager) if they had permits for this work and they said they didn't know and are not sure if they needed one. What do you think? If there is anything else you would like to know about this site feel free to contact myself or Murray.

Thanks!

Kimberly McEathron
Water Compliance Branch
Division of Enforcement and Compliance Assistance
USEPA Region 2
290 Broadway, Floor 20
New York, NY 10007
ph: (212) 637-4228
fax: (212) 637-4211
McEathron.Kimberly@epa.gov



# {In Archive} Re: Caddell Dry Dock NY 0033090

Vichit Aramsombatdee to: Kimberly McEathron

Cc: "Imdadul Islam", "Sebastian Zacharias"

From: "Vichit Aramsombatdee" <vxaramso@gw.dec.state.ny.us>

To: Kimberly McEathron/R2/USEPA/US@EPA

Cc: "Imdadul Islam" <aiislam@gw.dec.state.ny.us>, "Sebastian Zacharias"

<sxzachar@gw.dec.state.ny.us>

History: This message has been replied to.

Archive: This message is being viewed in an archive.

## See attached.

>>> Sebastian Zacharias 4/16/2010 2:38 PM >>>

Kim:

Caddell Dry Dock facility is a SPDES Individual Permitted facility handled by Vichit Aramsobatdee in our Unit (DEC Region 2 Division of Water). So I'm forwarding your e-mail to him.

### Sebastian

Sebastian Zacharias, P.E. Environmental Engineer I NYSDEC - Region 2 - Division of Water 47-40 21st Street Long Island City, NY 11101-5407 Ph: (718) 482-4936

Fax: (718) 482-4936 Fax: (718) 482-6516

E-mail: sxzachar@gw.dec.state.ny.us

>>> <McEathron.Kimberly@epamail.epa.gov> 4/15/2010 4:47 PM >>>

Hi Imadul Islam and Sebastian Zacharias,

I inspected the Caddell Dry Dock (NY0033090) facility back in August

2009 for compliance with their SPDES permit. I have a copy of the

permit with the cover letter dated 4/22/2009. It lists that this permit

was modified on 06/01/2009 and was effective on 2/01/2006. Do you have

a copy of the original permit issued on 2/01/2006 so I can compare that

04/16/2010 02:58 PM

permit to get a better idea of the facilities history of compliance. It may be the same permit but I want to be sure that there weren't any drastic modifications.

Thanks,

## Kim

~\*~\*~\*~\*~\*~\*~\*~\*~\*~\*\* \*~\*~\*\*

Kimberly McEathron
Water Compliance Branch
Division of Enforcement and Compliance Assistance
USEPA Region 2
290 Broadway, Floor 20
New York, NY 10007
ph: (212) 637-4228

ph: (212) 637-4228 fax: (212) 637-4211

McEathron.Kimberly@epa.gov



Caddell.pdf